

09/893,809

MS174294.01/MSFTP244US

AMENDMENTS TO THE CLAIMS

This listing of the claims replaces all prior versions of claims in the application.

1. (Currently Amended) A system that facilitates interactions between a first entity and a second entity ~~via at least one common aspect~~, where the entities have a mismatched data type with at least one aspect in common, the system comprising:

a data type identifier that identifies whether the first entity and the second entity have a mismatched resolvable data type; and

a data type resolver that resolves interactions between the first entity and the second entity by resolving the mismatched data type in accordance with the at least one common aspect.

2. (Original) The system of claim 1, where the first entity is a client and the second entity is a server.

3. (Currently Amended) The system of claim 1, where the at least one common aspect comprises at least one of a data aspect and a behavior aspect.

4. (Previously Presented) The system of claim 1, where metadata facilitates identifying the at least one common aspect in the resolvable data type.

5. (Currently Amended) The system of claim 4 where the data type resolver comprises:

a metadata reader ~~adapted to~~ that reads the metadata associated with a resolvable data type;

an attribute identifying subsystem ~~operably that is~~ connected to the metadata reader, the attribute identifying subsystem ~~operable to identify~~ identifies an attribute associated with a resolvable data type;

09/893,809

MS174294.01/MSFTP244US

an attribute populating subsystem ~~operably~~ connected to the attribute identifying subsystem, the attribute populating subsystem ~~operable to that~~ establishes a value in the attribute;

a method identifying subsystem ~~operably~~ connected to the metadata reader, the method identifying subsystem ~~operable to identify~~ identifies a method associated with a resolvable data type; and

a method populating subsystem ~~operably~~ connected to the method identifying subsystem, the method populating subsystem ~~operable to~~ establishes a link to the method.

6. (Original) The system of claim 1, where a resolvable data type is associated with a proxy and where the resolvable data type is adapted to be incrementally extensible.

7. (Currently Amended) The system of claim 6, where the resolvable data type is ~~further adapted to be~~ incrementally extensible on an as-needed basis.

8. (Currently Amended) A computer readable medium containing computer executable components for a system that facilitates interactions between two or more entities ~~via at least one common aspect~~, where the entities have a mismatched data type with at least one aspect in common, the components comprising:

a data type identifying component that identifies whether the first entity and the second entity have a mismatched resolvable data type; and

a data type resolving component that resolves interactions between the first entity and the second entity by resolving the mismatched data type in accordance with the at least one common aspect.

09/893,809

MS174294.01/MSFTP244US

9. (Currently Amended) A method for facilitating interactions based on ~~common features~~ between a first entity and a second entity, where the entities have a mismatched data type with an aspect in common, the method comprising:
- comparing a first data type to a second data type to determine the common ~~features~~ aspect between the first data type and the second data type; and
 - creating an object of a third data type, where the third data type comprises the ~~features~~ aspect common to the first data type and the second data type.
10. (Currently Amended) The method of claim 9, where the common ~~features~~ aspect comprises at least one of data and behavior.
11. (Original) The method of claim 9, where the first entity is a client and the second entity is a server.
12. (Original) The method of claim 9, where comparing the first data type to the second data type comprises:
- identifying one or more attributes associated with the first data type;
 - identifying one or more attributes associated with the second data type;
- and
- comparing the attributes associated with the first data type to the attributes associated with the second data type.
13. (Original) The method of claim 12, where comparing the first data type to the second data type further comprises:
- identifying one or more methods associated with the first data type;
 - identifying one or more methods associated with the second data type; and
 - comparing the methods associated with the first data type to the methods associated with the second data type.

09/893,809

MS174294.01/MSFTP244US

14. (Original) The method of claim 13, where creating the object of the third data type comprises populating one or more attributes with a value from the client.

15. (Original) The method of claim 14, where creating the object of the third data type further comprises establishing one or more method links with values from the client.

16. (Original) The method of claim 9, where the first data type is associated with a proxy.

17. (Currently Amended) The method of claim 16, where the first data type is ~~adapted to be~~ incrementally extensible.

18. (Currently Amended) The method of claim 17, where the first data type is ~~further adapted to be~~ incrementally extensible on an as-needed basis.

19. (Currently Amended) A computer readable medium containing computer executable instructions for performing a method for facilitating interactions between two or more entities ~~based upon at least one common feature~~, where the entities have a mismatched data type and at least one aspect in common, the method comprising:

comparing a first data type to a second data type to determine the at least one common ~~features~~ aspect between the first data type and the second data type; and

creating an object of a third data type, where the third data type comprises the at least one ~~features~~ aspect common to the first data type and the second data type.

20. (Original) The computer readable medium of claim 19, where the first data type is associated with a proxy.

21. (Currently Amended) The computer readable medium of claim 20, where the first data type is ~~adapted to be~~ incrementally extensible.

09/893,809

MS174294.01/MSFTP244US

22. (Currently Amended) The computer readable medium of claim 21, where the first data type is ~~further adapted to be~~ incrementally extensible on an as-needed basis.

23. (Currently Amended) A data packet associated with a first data type ~~adapted to be~~ is transmitted between two or more computer processes and resolved with a second data type having at least one common aspect with the first data type, the data packet comprising:

one or more first fields containing information concerning attributes associated with a the first data type, where the first data type is ~~adapted to be~~ incrementally extensible on an as-needed basis; and

one or more second fields containing information concerning methods associated with the first data type.

24. (Original) The data packet of claim 23 further comprising one or more third fields containing information concerning interfaces associated with the first data type.

25. (Original) The data packet of claim 24 further comprising one or more fourth fields containing information concerning one or more data types related to the first data type.

26. (Currently Amended) A system for facilitating interaction between two or more entities, where the entities have a mismatched data type, the system comprising:

means for determining whether a first object of a first data type has an features aspect in common with a second object of a second data type; and

means for producing a third object of a third data type, where the third data type comprises the features aspect common to the first data type and the second data type.

09/893,809MS174294.01/MSFTP244US

27. (Currently Amended) The system of claim 26, where the first data type is adapted to be incrementally extensible on an as-needed basis.